



Xiamen Xing Yuan Zhou Industrial Co.,Ltd

1903# Dexin Building No.584 Xianyue Road, Xiamen, China

Web: <http://marscn.com> Email: info@marscn.com

Tel: 0086-592-5123699 Fax:0086-592-5123896

MS825 Caterpillar Excavator



Main Equipment of MS825 Caterpillar Excavator

1. Engine: genuine ISUZU CC-6BG1TRP
2. Hydraulic system (including main control valve, electric control pump, swing motor and reducer, pilot control valve): genuine KAWASAKI
3. Travelling motor and reducer: genuine NABTESCO
4. Cylinders: genuine KYB
5. Indicator board: genuine KAWASAKI
6. Hydraulic pipe & connecting piece—American famous brand products.



Xiamen Xing Yuan Zhou Industrial Co.,Ltd

1903# Dexin Building No.584 Xianyue Road, Xiamen, China

Web: <http://marscn.com> Email: info@marscn.com

Tel: 0086-592-5123699 Fax:0086-592-5123896

Technical Parameter of MS825 Tracked Excavator

Working Range

Type	MS823 Tracked Excavator
Max. cutting height	9617mm
Max. dumping height	6817mm
Max. digging depth	6899mm
Max. vertical wall digging depth	6020mm
Max. digging reach	10229mm
Max. digging reach on ground	10110mm
Min. swing radius	3935mm
8'Max. digging depth (8' level)	6490mm

Overall dimension

Type	MS822 Tracked Excavator
Overall width of superstructure	2890mm
Overall height of cab	3020mm
Tail swing radius	2930mm
Overall width	2990mm
Overall length	10120mm
Overall height of boom	3040mm
Track gauge	2390mm
Shoe width	600mm
Undercarriage width	2990mm
Tumble length	3460mm
Track length	4260mm
Min. ground clearance	460mm



Xiamen Xing Yuan Zhou Industrial Co.,Ltd

1903# Dexin Building No.584 Xianyue Road, Xiamen, China

Web: <http://marscn.com> Email: info@marscn.com

Tel: 0086-592-5123699 Fax:0086-592-5123896

Specification

Operation Weight	23500kg
Power	125kw/2100rpm
Capacity of Bucket	1.05m ³
Maximum Digging Force	150KN
Travel Speed	5.8/3.8 km/h
Grade ability	35°
Pressure to the Ground	50kpa

[For more models information](#)

[For more products information](#)

[Visit our website](#)